

**From -IV
(See rule 13)
Annual Report**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]


Sl.No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	DR ROMA SACHDEVA
	(ii) Name of HCF or CBMWTF	:	HEALING TREE HOSPITAL
	(iii) Address for Correspondence	:	3011 SHAKTI KHAND III
	(i) Address of Facility	:	INDIRAPURAM, GHAZIABAD-201014
	(ii) Tel. No. Fax. No.	:	9448777888/444
	(V) E-mail ID	:	healingtreehospital@gmail.com
	(i) URL of Website	:	https://healingtreehospital.com
	(ii) GPS coordinates of HCF of CBMWTF	:	-
	(iii) Ownership of HCF of CBMWTF	:	(State Government of Private or Semi Govt. or any other)
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	:	Authorization No. 13179298. Valid up to: 31/7/25
	(v) Status of Consents under Water Act and Air Act.	:	Valid up to: 31/7/25
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds 100
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	-
	(iii) License number and its date of expiry.	:	CMEE2132312, 30/4/22
3.	Details if CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	-
	(ii) No. of beds covered by CBMWTF	:	-
	(iii) Installed treatment and disposal capacity of CBMWTF	:	- Kg per day
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	- Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow category: 1442.6 kg Red Category: 1310.3 kg White: 17.5 kg Blue Category: 281 kg General Solid waste NA
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility	:	
	(i) Details of the on-site storage facility	:	Size : - Capacity: - Provision of on-site storage : (cold storage or any other provision)
	(ii) Disposal Facilities	:	Type of treatment No Capacity Quantity Equipment of Kg/day treated or Units disposed In Kg per Annum Incinerators Plasma Paralysis

		Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep Burial pits: Chemical disinfection: Any other treatment equipment:	---
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) NA
	(iv) No of vehicles used for collection and transportation of biomedical waste.	:	NA
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)		Quantity Generated Where disposal Incineration NA Ash ETP Sludge
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	MEDICARE ENVIRONMENTAL MANAGEMENT PVT. LTD
	(vii) List of member HCF not handed over bio-medical waste.	:	NA
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	:	NA
7.	Detail trainings conducted on BMW		
	(i) Number of training conducted on BMW Management.		1 IN A MONTH
	(ii) Number of personnel trained		ALL HOSPITAL EMPLOYEES
	(iii) Number of personnel trained at the time of induction		10-15
	(iv) Number of personnel not undergone any training so far.		NIL
	(v) Whether standard manual for training is available?		Yes
	(vi) Any other information)		-
8.	Details of the accident occurred during the year		0
	(i) Number of Accidents occurred		0
	(ii) Number of the persons affected		0
	(iii) Remedial Action taken (Please attach details if any)		NA
	(iv) Any Fatality occurred, details.		0
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?		INCINERATOR NOT AVAILABLE

	Details of Continuous online emission monitoring systems installed		NA
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.		THROUGH STP
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12.	Any other relevant information	(Air Pollution Control Device attached with the incinerator.)	NA

Certified that the above report is for the period from

1ST JAN 2020 TO 31 DEC 2020



Name and Signature of the Head of the Institution

Date: 15/JUNE/2021
Place: GHAZIABAD